

PRIME

OMNIDIRECTIONAL SPEECH PROTECTOR

PRIME omnidirectional speech protector is a more powerful predecessor of the EO-1. This high-performance PRIME omnidirectional jammer will ensure that your appointments and meetings are safe and discreet. With our PRIME jammer you don't have to worry about your privacy.

The omnidirectional ultrasonic noise generator blocks microphones up to 1-1.5 metres (3-5 ft) for modern phones and up to 3 metres (10 ft) for older phones. It can easily permeates clothing as well. The jammer interferes with the entire 360 degree range.

Thanks to the acoustic noise you can be sure that no one will eavesdrop on you with a stethoscope or laser microphone. Not even a third party will be able to eavesdrop on your meetings up to a distance of 30 metres (98 ft).

The PRIME omnidirectional speech protector is the successor to one of our best-selling products, the EO-1. Unlike its predecessor, it has improved ultrasound software as well as a processor. It is compatible with our app, which is available for both iOS and Android.



- Generates ultrasonic noise that effectively protects you against all microphones and bugs.
- Acoustic noise protects against eavesdropping by a laser or stethoscope microphone.
- Several modes of jamming.
- Ensures a secure and discreet meeting wherever it is needed.
- The jammer is easy to handle and it can be easily transferred as needed.



The jammer completely overwhelms the microphones



Impossible to eavesdrop through a wall or windowpane



App available for Android and iOS

PRIME

PRIME Audio Acoustic and Ultrasonic Speech Protector is truly powerful. A total of 41 ultrasound 128-132 dB generators creates a strong ultrasonic barrier for microphones of modern phones such as Apple, Samsung and other brands, as well as for modern dictaphones and eavesdropping devices.

More Powerful Acoustic Noise

Protects you from eavesdropping methods where the ultrasonic noise is just not enough. Mainly, it protects against eavesdropping with a stethoscope microphone or laser microphone. The acoustic noise makes it impossible to listen to your conversation through the wall or the windowpane. Not even a third-party will be able to listen in on your conversation. Acoustic noise is basically a randomly generated mixed voice that creates a sound barrier. This is a unique solution - you can record your own voices and then generate them and have them overlap your conversation. Acoustic noise protects you even against the most cutting-edge forensic cleaning technologies. When recording, you need to be 10-20 cm (4-8 in) away from the device and in a quiet environment.

Features of Ultrasound

Ultrasonic noise is highly efficient against recording devices and bugs. The generated ultrasonic noise overwhelms these devices, effectively rendering them useless. The recording will be so distorted, that no one will be able to hear anything else than the noise. Your confidential information will remain secure. Additionally, the ultrasound is inaudible so it does not disrupt your meetings.

Instructions for Use

The omnidirectional jammer does not require any technical knowledge to install. Every setting is at your fingertips thanks to the easy-to-handle remote control, or in our app.

Place the PRIME omnidirectional speech protector in the area where you want to intercept any recording devices and protect your meetings. Please, keep in mind that the effective range of interference is roughly to a distance of 30 metres (98 ft) from the jammer. The jammer can be controlled using the remote control. You can set one of the following modes.

- **A: Quiet ultrasound** – suppresses high-quality voice recorders.
- **B: Device off** – protection is off.
- **C: Ultrasound and quiet acoustic noise** – the main operating mode in which you can negotiate comfortably and be protected against all types of listening devices.
- **D: Ultrasound and loud acoustic noise** – the maximum protection mode used in case you need to fully protect the information at the cost of reducing your negotiating comfort.

You can record your own voice into the jammer to be used by the acoustic noise feature. When recording, you need to be 10-20 cm (4-8 in) away from the device and in a quiet environment. To do so, press the volume button for 4 seconds. After that, the light starts flashing. Now you can record your voice. We recommend making small-talk for at least 5 minutes. The speech protector then uses the recording to generate random words, effectively overlapping your conversation. The feature of acoustic noise is unique and you will find it in all our EO speech protectors.

- ✔ Digital and analog voice recorders.
- ✔ Voice recorders in mobile phones.
- ✔ Eavesdropping remotely through windows using laser and stethoscope microphones.
- ✔ Built-in and directional microphones.
- ✔ Eavesdropping devices with 220 V mains supply.



Weight

1,3 kg (2.8 lbs)



Range

Acoustic Voice Mix
up to 30 meters (98 ft)*
Ultrasound
up to 3 meters (10 ft)*




Intensity of Ultrasonic Interference

41 x 128-132 dB



Output of Acoustic Interference

3W



Dimensions

20 cm x 20 cm x 6,2 cm
(8 in x 8 in x 2 in)



Jack

3,5 mm (0.13 in)**

*Each device can have an individual range. For modern phones the range is 1-1.5 m (3-5 ft), for older phones up to 3 m (10 ft).

**An external speaker can be connected for better acoustic quality.

Safety Information

Make sure that the supply voltage corresponds to the voltage specified in the documentation.

Please comply with the following safety precautions:

- Avoid contact with water and areas of high humidity at all times. The device should not be exposed to dripping and/or splashing water. When cleaning the device use dry materials only. Make sure to protect the equipment from rain.
- Do not use the device in areas with extreme temperatures. We recommend using it in an environment with temperature between 0° and 45°. Do not install the device near heat sources.
- Avoid contact with parts that conduct electricity. Please, do not remove the cover or casing of the device in any way to avoid the risk of electric shock.
- In case there is a ventilation opening on the device, make sure it does not get blocked.
- Use only accessories that were specified and supplied by the manufacturer.
- Make sure to not place the device on top of other electronic devices or place electronic equipment on top of the supplied device.
- Do not place the device close to your ears. It emits high frequency sounds that may damage your hearing. Prolonged use of the device at high volume may cause hearing damage. Use the device only when necessary and at the appropriate volume.
- Do not tamper with the power cord in any way. If the power cord is mechanically damaged, stop using the device immediately. Mechanically damaged cables, ruptured insulation or frayed cables pose a risk of electric shock and also risk of fire.
- If necessary, have the equipment serviced by qualified personnel and do not attempt to repair the device yourself.
- Be wary of open flame – the equipment is made of flammable materials. Never bring it close to an open fire.
- The electrical plug must remain easily accessible in case of an emergency shutdown. Do not overload the sockets with the plugged device.

Important

When using the ultrasonic noise generator to overwhelm all microphones in the vicinity, certain limitations may arise due to the laws of physics. Some of the microphone designs may be more susceptible to be jammed than others. Therefore, the effectiveness may be different for each of the designs. The maximum effective range of the generator can therefore also vary by up to several times depending on the type of the microphone. Additionally, the generated ultrasonic noise can bounce off different surfaces and is unable to penetrate most materials to any greater depth. It is recommended to use a sufficient number of devices and then position them appropriately in the room to ensure the best possible protection of privacy during meetings.

For the best possible protection, we recommend using the acoustic noise function which allows you to record your own voice in your own language and overlap your conversation with it. The recorded voice is then randomly generated to create a sound barrier against eavesdropping via a stethoscope and laser microphones. Additionally, it protects against the most cutting-edge forensic cleaning technologies.

Although the device does not guarantee a 100% jamming effectiveness, it greatly outperforms competing solutions. Due to its configuration, it can guarantee high effectiveness when used against microphones on devices such as dictaphones, wiretaps and seismic microphones, computer microphones, headsets, cameras and mobile phones.

Learn more:



+420 774 429 006
sales@eo-security.com

